L Number	Hits	Search Text	DB	Time stamp
-	7078	((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/10/13 16:51
		(DISTRIBUTED adj computing adj environ\$4))	US-PGPUB;	
	1		EPO; JPO;	
		·	DERWENT;	
	410	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	IBM_TDB USPAT;	2004/03/29 15:40
	110	(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	2004/03/29 13:40
		and ((generat\$4 provid\$4 creat\$4) near10	EPO; JPO;	
		(interface)) and (XML (extensible adj markup	DERWENT;	
		adj language))	IBM_TDB	
-	50	,	USPAT;	2004/03/29 15:39
		(DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) near5	US-PGPUB; EPO; JPO;	
		(interface)) and (XML (extensible adj markup	DERWENT;	
	İ	adj language))) and (subscrib\$4 publish\$4	IBM TDB	
		broadcast\$5 multicast\$5) near2(sevic\$2	_	
		interfac\$4)		
_	58	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:27
		(DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) adj	US-PGPUB; EPO; JPO;	
		(interface)) and (XML (extensible adj markup	DERWENT;	
		adj language))	IBM TDB	
-	3	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:23
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		and ((generat\$4 provid\$4 creat\$4) adj	EPO; JPO;	
		(interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4	DERWENT; IBM TDB	,
		broadcast\$5 multicast\$5) adj (sevic\$2	I I DIV_I DB	
		interfac\$4)	İ	
-	241	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:27
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		<pre>and ((generat\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj</pre>	EPO; JPO;	
		language))	DERWENT; IBM TDB	·
_	46	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/10/13 16:50
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	, , , , , , , , , , , , , , , , , , , ,
4.5		and ((generat\$4 creat\$4) near5 (interface))	EPO; JPO;	
		and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4	DERWENT;	
		broadcast\$5 multicast\$5) near5 (sevic\$2	IBM_TDB	
		interfac\$4)		
-	418	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:50
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		and ((download upload push pull) near10	EPO; JPO;	
		<pre>(interface script service message (startup adj program)))</pre>	DERWENT; IBM TDB	
_	291		USPAT;	2004/03/29 13:51
		push pull) near10 (interface script service	US-PGPUB;	
		message (startup adj program)))	EPO; JPO;	
			DERWENT;	
_	7	(717/178, 172.ccls. and ((download upload	IBM_TDB USPAT;	2004/03/29 13:51
	•	push pull) near10 (interface script service	US-PGPUB;	2004/03/29 13:51
		<pre>message (startup adj program)))) and</pre>	EPO; JPO;	
!		(subscrib\$4 publish\$4 broadcast\$5	DERWENT;	
_	00	multicast\$5) near5 (sevic\$2 interfac\$4)	IBM_TDB	
-	80	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4)))	USPAT;	2004/03/29 13:56
	İ	and ((generat\$4 provid\$4 creat\$4) near10	US-PGPUB; EPO; JPO;	
		(interface)) and (XML (extensible adj markup	DERWENT;	
		adj language))) and (subscrib\$4 publish\$4	IBM_TDB	
		broadcast\$5 multicast\$5) near10 (sevic\$2	_	
_	4513	interfac\$4)	110020	0004/00/00 ====
	4213	((generat\$4 provid\$4 creat\$4 push pull) near5 (interface)) and (XML (extensible adj	USPAT; US-PGPUB;	2004/03/29 14:10
	ł	markup adj language))	EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	

-	3688	((generat\$4 provid\$4 creat\$4 push pull) near3 (interface)) and (XML (extensible adj markup adj language))	USPAT; US-PGPUB; EPO; JPO;	2004/03/29 14:10
			DERWENT; IBM TDB	
-	689	((generat\$4 provid\$4 creat\$4 push pull) adj (interface)) and (XML (extensible adj markup adj language))	USPAT; US-PGPUB; EPO; JPO;	2004/03/29 14:10
			DERWENT; IBM TDB	
-	122	(((generat\$4 provid\$4 creat\$4 push pull) adj (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4	USPAT; US-PGPUB; EPO; JPO;	2004/03/29 14:12
		<pre>broadcast\$5 multicast\$5) near5 (sevic\$2 interfac\$4)</pre>	DERWENT; IBM_TDB	
-	198	(((generat\$4 provid\$4 creat\$4 push pull) adj (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/29 14:55
-	120	(DISTRIBUTED adj computing adj environ\$4)))	IBM_TDB USPAT; US-PGPUB;	2004/03/29 15:00
,		and (platform near10 independen\$4) and (message near10 (pass\$4provid\$4 process\$4))	EPO; JPO; DERWENT; IBM TDB	
-	51	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and (platform near10 independen\$4) and	USPAT; US-PGPUB; EPO; JPO;	2004/03/29 15:00
		<pre>(message near10 (pass\$4provid\$4 process\$4))) and ((generat\$4 provid\$4 creat\$4) near10 (interface)) and (XML (extensible adj markup adj language))</pre>	DERWENT; IBM_TDB	
_	2		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/29 15:40
_	2	6418448.pn. and ((generat\$4 provid\$4 creat\$4) near10 (interface)) and (XML (extensible adj markup adj language))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/29 15:40
_	69	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4)))	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/03/29 15:48
		and ((generat\$4 provid\$4 creat\$4) near10 (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2	EPO; JPO; DERWENT; IBM_TDB	
-	343	<pre>interfac\$4) (((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) near5</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/03/29 15:50
_	57	, , , , = = = = = = = = = = = = = = = =	DERWENT; IBM_TDB USPAT;	2004/03/30 08:24
		(DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
_	2529	<pre>interfac\$4) 709/200, 201.ccls. and (((generat\$4 provid\$4 creat\$4) near5 (interface)) and (XML</pre>	USPAT; US-PGPUB;	2004/03/30 10:29
		<pre>(extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2 interfac\$4)</pre>	EPO; JPO; DERWENT; IBM TDB	
_	2529	709/200, 201.ccls. and (((generat\$4 provid\$4 creat\$4) near2 (interface)) and (XML (extensible adj markup adj language))) and	USPAT; US-PGPUB; EPO; JPO;	2004/03/30 09:49
		<pre>(subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near2(sevic\$2 interfac\$4)</pre>	DERWENT; IBM_TDB	

				•
-	2529	709/200, 201.ccls. and (((generat\$4 provid\$4 creat\$4) adj (interface)) and (XML	USPAT; US-PGPUB;	2004/03/30 08:26
		(extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5	EPO; JPO;	
		multicast\$5) adj(sevic\$2 interfac\$4)	DERWENT; IBM TDB	
-	2529		USPAT;	2004/03/30 08:28
		creat\$4) adj (interface)) and (XML	US-PGPUB;	
		<pre>(extensible adj markup adj language)) and ((subscrib\$4 publish\$4 broadcast\$5</pre>	EPO; JPO; DERWENT;	
		multicast\$5) adj(sevic\$2 interfac\$4))	IBM TDB	
-	15		USPAT;	2004/03/30 09:10
		<pre>provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language)))</pre>	US-PGPUB;	,
		and (subscrib\$4 publish\$4 broadcast\$5	EPO; JPO; DERWENT;	
		multicast\$5) near5 (sevic\$2 interfac\$4)	IBM_TDB	
-	57	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/03/30 09:45
		<pre>provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language)))</pre>	US-PGPUB; EPO; JPO;	
		(min (oncombine any markap any rangange, ,)	DERWENT;	
			IBM_TDB	
_	2	6658625.pn.	USPAT; US-PGPUB;	2004/03/30 09:22
			EPO; JPO;	
			DERWENT;	
_	1888	///generat\$4 great\$4) near2 (interfere)) and	IBM_TDB	2004/02/20 20 25
-	1000	(((generat\$4 creat\$4) near2 (interface)) and (XML (extensible adj markup adj language)))	USPAT; US-PGPUB;	2004/03/30 10:16
		(constructed any marriage any ranguage, , ,	EPO; JPO;	
			DERWENT;	
_	0	((((generat\$4 creat\$4) near2 (interface))	IBM_TDB USPAT;	2004/03/30 10:10
		and (XML (extensible adj markup adj	US-PGPUB;	2004/03/30 10:10
		language)))) and (subscrib\$4 publish\$4	EPO; JPO;	
		broadcast\$5) near2(sevic\$2)	DERWENT;	
_	0	((((generat\$4 creat\$4) near2 (interface))	IBM_TDB USPAT;	2004/03/30 09:49
		and (XML (extensible adj markup adj	US-PGPUB;	
		<pre>language)))) and (subscrib\$4 publish\$4) near2(sevic\$2)</pre>	EPO; JPO;	
		nearz(sevicșz)	DERWENT; IBM TDB	
-	6	subscrib\$4 publish\$4 broadcast\$5)	USPĀT;	2004/03/30 10:09
		near2(sevic\$2	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	((((generat\$4 creat\$4) near2 (interface))	USPAT;	2004/03/30 10:10
		and (XML (extensible adj markup adj language)))) and (publish\$4 broadcast\$5)	US-PGPUB; EPO; JPO;	
		near2(sevic\$2)	DERWENT;	
		1///	IBM_TDB	
-	15	((((generat\$4 creat\$4) near2 (interface)) and (XML (extensible adj markup adj	USPAT; US-PGPUB;	2004/03/30 10:13
		language)))) and (Event adj handler) and	EPO; JPO;	
		(call adj back)	DERWENT;	
_	0	((Event adj handler) and (call adj back))	<pre>IBM_TDB USPAT;</pre>	2004/03/30 10:13
		and (servic\$4 near10 plublish)	US-PGPUB;	2004/03/30 10:13
		• • • • • • • • • • • • • • • • • • • •	EPO; JPO;	
			DERWENT;	
 -	118	(Event adj handler) and (call adj back)	<pre>IBM_TDB USPAT;</pre>	2004/03/30 10:29
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	, 00, 50 20.25
			EPO; JPO;	
			DERWENT; IBM TDB	
-	25	((Event adj handler) and (call adj back))	USPAT;	2004/03/30 10:25
		and (XML (extensible adj markup adj	US-PGPUB;	,
		language))	EPO; JPO; DERWENT;	
			IBM TDB	

-	0 ((Event adj handler) and (call adj back)) and (event adj endpoint)	USPAT; US-PGPUB; EPO; JPO;	2004/03/30 10:25
		DERWENT;	
- 252	9 709/200, 201.ccls. and ((Event adj handler) and (call adj back))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 10:26
-	(709/200,201.ccls.) and ((Event adj handler) and (call adj back))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/30 10:26
- 829	4 (709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 10:29
-	(((709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and (((generat\$4 provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2 interfac\$4)) and (Event adj handler) and (event adj	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:30
- 7	endpoint) ((709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and (((generat\$4 provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:45
- 7	multicast\$5) near5 (sevic\$2 interfac\$4) (((709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) near5 (interface)) and ((subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2 interfac\$4))) and (XML (extensible adj markup adj language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:45
- 19		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:47
_	6405266.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 16:48
-	6289382.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/30 16:48
- 1804	((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4) (distributed adj systems))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/13 16:54
- 415	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4) (distributed adj systems))) and ((Subscrib\$5 register\$5) near10 (process event interface data message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/13 16:54

-	3074		USPAT;	2004/10/13 16:55
		(DISTRIBUTED adj computing adj environ\$4)	US-PGPUB;	
		(distributed adj systems))) and ((Subscrib\$5 register\$5) near3 (process event interface	EPO; JPO; DERWENT;	
		data message))	IBM TDB	
_	184		USPAT;	2004/10/13 16:55
		(DISTRIBUTED adj computing adj environ\$4)	US-PGPUB;	2001, 20, 23 20:33
		(distributed adj systems))) and ((Subscrib\$5	EPO; JPO;	
		register\$5) near10 (process event interface	DERWENT;	
		data message))) and (XML adj (process event	IBM_TDB	
		interface data message))		
-	1048	1 - , ,	USPAT;	2004/10/13 16:55
		(DISTRIBUTED adj computing adj environ\$4) (distributed adj systems))) and ((Subscrib\$5	US-PGPUB;	
		register\$5) adj (process event interface	EPO; JPO; DERWENT;	
		data message))	IBM TDB	
_	103		USPAT;	2004/10/14 12:09
		(DISTRIBUTED adj computing adj environ\$4)	US-PGPUB;	
		(distributed adj systems))) and ((Subscrib\$5	EPO; JPO;	
		register\$5) adj (process event interface	DERWENT;	
		data message))) and (XML adj (process event	IBM_TDB	
	73	interface data message))	HODAE	2004/20/24 55 55
-	, /3	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4)	USPAT;	2004/10/14 14:00
		(distributed adj systems))) and ((Subscrib\$5	US-PGPUB; EPO; JPO;	
-		register\$5) adj (process event interface	DERWENT;	
		data message))) and (XML adj (process event	IBM TDB	
		interface message (java adj event)))	_	
-	4	(The second of the second o	USPAT;	2004/10/14 12:37
		(send\$5 receiv\$5) near10 (XML adj event	US-PGPUB;	
		message service) and (broadcast\$5 advertis\$5)	EPO; JPO;	
		near10 (XML adj (process event interface message (java adj event)))	DERWENT;	
_	1	(Subscrib\$5 register\$5) near5 (process) and	<pre>IBM_TDB USPAT;</pre>	2004/10/14 12:39
	_	(send\$5 receiv\$5) near10 (XML adj event	US-PGPUB;	2004/10/14 12:39
		message service) and (broadcast\$5) near10	EPO; JPO;	
		(XML adj (process event interface message	DERWENT;	
		(java adj event) service))	IBM_TDB	[
-	9869	,	USPAT;	2004/10/14 12:40
,		(send\$5 receiv\$5) near10 (XML adj event	US-PGPUB;	
İ		message service)	EPO; JPO;	
			DERWENT; IBM TDB	
_	1984	(Subscrib\$5 register\$5) near5 (process)same	USPAT;	2004/10/14 12:40
		(send\$5 receiv\$5) near10 (XML adj event	US-PGPUB;	
	<u> </u>	message service)	EPO; JPO;	
			DERWENT;	
	1763	(Cubacribée marietanée)	IBM_TDB	
-	1763	(Subscrib\$5 register\$5) near5 (process) same	USPAT;	2004/10/14 12:41
		(send\$5 receiv\$5) near5 (XML adj event message service)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	160	(Subscrib\$5 register\$5) adj (process) same	USPAT;	2004/10/15 09:13
		(send\$5 receiv\$5) near5 (XML adj event	US-PGPUB;	
		message service)	EPO; JPO;	
			DERWENT;	
_	· o	(Subscrib\$5 register\$5) add (masses)	IBM_TDB	2004/20/24 25 75
		(Subscrib\$5 register\$5) adj (process) same (send\$5 receiv\$5) near5 (XML adj (event	USPAT; US-PGPUB;	2004/10/14 12:52
		message service))	EPO; JPO;	
		3 ,,	DERWENT;	
			IBM TDB	
-	1	(10/187196) and (Horvitz)	USPAT;	2004/10/14 14:01
1			US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
			IBM_TDB	

-	1	(09/900842) and (freed)	USPAT;	2004/10/14 14:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
<u>-</u>	11	(09/863456) and (greene)	USPAT;	2004/10/15 09:16
		(05) 005 150, and (glocile)	US-PGPUB;	2001/10/13 03:10
			EPO; JPO;	
			DERWENT;	
į			IBM TDB	
-	0	(Subscrib\$5 register\$5) adj (process) same	USPAT;	2004/10/14 14:52
		(send\$5 receiv\$5) near5 (XML adj (event	US-PGPUB;	
		message service))	EPO; JPO;	
			DERWENT;	<u>}</u> .
	.0	(Subscribts registerts) add (process) same	IBM_TDB	2004/10/14 14 52
-		(Subscrib\$5 register\$5) adj (process) same (send\$5 receiv\$5) near5 (XML near3 (event	USPAT; US-PGPUB;	2004/10/14 14:52
İ		message service))	EPO; JPO;	
		modage betvice,	DERWENT;	
			IBM TDB	
-	2	(Subscrib\$5 register\$5) near5 (process) same	USPAT;	2004/10/14 14:52
+		(send\$5 receiv\$5) near5 (XML near10 (event	US-PGPUB;	
		message service))	EPO; JPO;	
	×		DERWENT;	
1		/Outropillate and the section of the	IBM_TDB	
-	0	(= (p=)	USPAT;	2004/10/14 15:17
		(send\$5 receiv\$5) near5 (event message service) near10 (XML)	US-PGPUB;	
1		SCLVICE/ HEALIO (APILI)	EPO; JPO; DERWENT;	
Ì			IBM TDB	
_	8	((publish\$5 Subscrib\$5 register\$5) adj	USPAT;	2004/10/14 15:24
	İ	(process) and (connect\$5 attach\$5 manag\$5)	US-PGPUB;	
		near10 (partition\$5 distribut\$5 scatter\$5	EPO; JPO;	
		need\$5) near10 (resourc\$5)) and ((XML Java)	DERWENT;	
-		near2 (event message))	IBM_TDB	
_	140	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/10/14 15:24
	İ	(process) and (connect\$5 attach\$5 manag\$5)	US-PGPUB;	
		near10 (partition\$5 distribut\$5 scatter\$5 need\$5) near10 (resourc\$5)) and (java)	EPO; JPO; DERWENT;	
		needys/ nearro (resourcess// and (java/	IBM TDB	
-	105	((publish\$5 Subscrib\$5 register\$5) adj	USPAT;	2004/10/14 15:24
		(process) and (connect\$5 attach\$5 manag\$5)	US-PGPUB;	
ŀ		near10 (partition\$5 distribut\$5 scatter\$5	EPO; JPO;	
		need\$5) near10 (resourc\$5)) and (XML)	DERWENT;	
		(m.1)	IBM_TDB	
-	197	(publish\$5 Subscrib\$5 register\$5) adj	USPAT;	2004/10/14 15:25
		(process) and (connect\$5 attach\$5 manag\$5) near10 (partition\$5 distribut\$5 scatter\$5	US-PGPUB;	
		need\$5) near10 (resourc\$5)	EPO; JPO; DERWENT;	
		(100011043)	IBM TDB	
-	2897	(Subscrib\$5 register\$5) near10 (process)	USPAT;	2004/10/14 15:51
		same (send\$5 receiv\$5) near5 (event message	US-PGPUB;	
		service)	EPO; JPO;	
			DERWENT;	
		// Gubanaib Ar	IBM_TDB	
1 -	8	, (USPAT;	2004/10/14 15:54
		<pre>same (send\$5 receiv\$5) near5 (event message service)) and (Unsubscrib\$5) and</pre>	US-PGPUB;	
		((authenticat\$5) near5 (event message	EPO; JPO; DERWENT;	
		service))	IBM TDB	
-	1	((Subscrib\$5 register\$5) near10 (process)	USPAT;	2004/10/14 15:55
		same (send\$5 receiv\$5) near5 (event message	US-PGPUB;	
		service)) and (Unsubscrib\$5) and	EPO; JPO;	
		((authenticat\$5) near5 (event message	DERWENT;	
_		service)) and (09/584318)	IBM_TDB	
_	1	(09/584318) and (han)	USPAT;	2004/10/14 15:56
			US-PGPUB; EPO; JPO;	
_			DERWENT;	
			IBM TDB	
	·			

-	2	(09/584318) and (lin)	USPAT;	2004/10/15 08:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	j		IBM TDB	
-	2	6405266.pn.	USPAT;	2004/10/14 16:04
		•	US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	5437039.pn.	USPAT;	2004/10/15 08:57
	-	5457055.pm.	US-PGPUB;	2004/10/13 00:37
				İ
			EPO; JPO;	
			DERWENT;	
		EACEDDE	IBM_TDB	
_	2	5465335.pn.	USPAT;	2004/10/15 08:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6427161.pn.	USPAT;	2004/10/15 08:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	İ		IBM TDB	
_	2	6216173.pn.	USPAT;	2004/10/15 08:58
			US-PGPUB;	2001, 10, 13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	47	709/\$.ccls. and (Subscrib\$5 register\$5) adj	USPAT;	2004/10/15 09:14
	1 .	(process) same (send\$5 receiv\$5) near5 (XML		2004/10/15 09:14
		adj event message service)	US-PGPUB;	
		adj event message service,	EPO; JPO;	
			DERWENT;	
1_	12	newwave adj service	IBM_TDB	2004/20/25 22 55
-		Hewwave adj setvice	USPAT;	2004/10/15 09:19
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	_	55.0055	IBM_TDB	
-	2	6549956.pn.	USPAT;	2004/10/15 10:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	52	Java adj event	USPAT;	2004/10/15 10:24
			US-PGPUB;	' ' '
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>		TRW_LDB	